F00RJ01692 Injector Valve Set Technical Instruction

SKU1: G1S8F00RJ01692




SKU3: G1N1F00RJ01692/N10000B2BJ01692

SKU4: G1F2F00RJ01692/N10000B2BJ01692



INJECTOR PART







F00RJ01692 Injector Valve Set Technical Instruction

Content

1. F00RJ01692 Injector Valve Set Introduction	3 6
	6
	6
1.3. F00RJ01692 Injector Valve Set Specifications and Dimensions Parameters	
1.4. F00RJ01692 Injector Valve Set Quality Control	6
1.5. F00RJ01692 Injector Valve Set Customized Service	7
1.6. FOORJO1692 Injector Valve Set Spare Parts & Packing List	
1.7. F00RJ01692 Injector Valve Set Warranty Instructions	10
2. FOORJO1692 Injector Valve Set Technical Support1	11
2.1. F00RJ01692 Injector Valve Set Installation Precautions	11
2.2. F00RJ01692 Injector Valve Set Replacement Conditions	
2.3. F00RJ01692 Injector Valve Set Storage Standard1	
2.4. F00RJ01692 Injector Valve Set Technical Support Obtaining Methods	13
3. FOORJO1692 Injector Valve Set Purchase and Delivery	
3.1. F00RJ01692 Injector Valve Set Purchase Payment Terms	13
3.2. F00RJ01692 Injector Valve Set Main Sales Market1	13
3.3. F00RJ01692 Injector Valve Set Declaration Requirements	13
3.4. F00RJ01692 Injector Valve Set Shipping Ways1	
3.5. F00RJ01692 Injector Valve Set Lead Time1	14
3.6. F00RJ01692 Injector Valve Set Logistics Time for Destination Out of China's Areas	14
3.7. F00RJ01692 Injector Valve Set Packing1	14
4. Company Information1	15
4.1. Company Introduction	15
4.2. Contact Information	
5. Copyright Statement1	

Website : <u>www.injectorpart.com</u>



F00RJ01692 Injector Valve Set Technical Instruction

1. F00RJ01692 Injector Valve Set Introduction

1.1. F00RJ01692 Injector Valve Set Basic Information

Title	Common Rail F00RJ01692 Injector Valve Set China Made New			
SKU1	G1S8F00RJ01692			
SKU2	G1L10F00RJ01692/G1L10F00RJ01692			
SKU3	G1N1F00RJ01692/N10000B2BJ01692			
SKU4	G1F2F00RJ01692/F20000B2BJ01692			

1.2. F00RJ01692 Injector Valve Set Application Information

1) F00RJ01692 Injector Valve Set Applicable Car Model Information

Injector Part Number	Car Model	OE Number	OE Number	OE Numbe r
JECTOR PART	FAW	1112010B470-0000	/	/
	WUXI SIDA DIESEL			
0 445 120 081	ENGINE	1112010 470		
	WEICHAI POWER	INJEC	TOR PART INJEC	TOR PART
0 445 120 107	CO.LTD.	13035011	/	/
	WEICHAI POWER			,
0 445 120 129	CO.LTD.	612600080611	612600080971	
	WEICHAI POWER			
0 445 120 130	CO.LTD.	612600080618	CTOR PART INJECT	CIONPAR
TOTAL DART	WEICHAI POWER	IL OK PART		
0 445 120 149	CO.LTD.	612600080611		
	WEICHAI POWER			
0 445 120 150	CO.LTD.	13024966		CTOP PA
		ECTOR PART INJ	00451041112034908	,
0 445 120 153	KAMAZ	201149061	8	
0 445 120 163	YUCHAI MACHINERY	G5A00 1112100 A38		/ / /
	WEICHAI POWER			
0 445 120 169	CO.LTD.	612600080 924	ECTOR PA/T INJ	ECT R PA
	WEICHAI POWER	NJECTOR PART		,
0 445 120 170	CO.LTD.	612600080618		
	WEICHAI POWER		7/18	74,5
0 445 120 191	CO.LTD.	13034027		/
//43	WEICHAI POWER	TOTAL DARK	JECTOR PART IN	JECTOR -
0 445 120 200	CO.LTD.	612600080972	/	/
IMPECTOR ENTER	WEICHAI POWER			77, -
0 445 120 213	CO.LTD.	612600080611		
	WEICHAI POWER			I IECTOR
0 445 120 214	CO.LTD.	612600080924	JECTOR PART	
IN JECTOR PART	WEICHAI POWER		,	
0 445 120 222	CO.LTD.	612600080964		
	WEICHAI POWER			
0 445 120 224	CO.LTD.	612600080618	MILETON /ART	NJECTOR
0 445 120 226	YUCHAI MACHINERY	G6A00-1112100-A38	/	/
MIECIORPAN	WEICHAI POWER			
0 445 120 227	CO.LTD.	612600080977		



	WEICHAI POWER			,
0 445 120 228	CO.LTD.	612600080978	ANDT / INJECTO	RPAKT
	WEICHAI POWER	CR PART INJECTO		/
0 445 120 244	CO.LTD.	13024966		/
	WEICHAI POWER			/
0 445 120 260	CO.LTD.	13034028		,
0 445 120 324	FAW	1112010-440-0000	R PART / INJECTO	/
	ECTOR PART INJECTION	1112010-470-		1
0 445 120 331	FAW	0000BL		/
	WEICHAI POWER			/
0 445 120 343	CO.LTD.	612640080031	INJECT	OR PAR
	WEICHAI POWER	TOR PART INJECT		/
0 445 120 344	CO.LTD.	612640080022		
0 445 120 357	SINOTRUK (CNHTC)	VG1034080002		/
0 445 120 379	YUCHAI MACHINERY	A2000-1112100-A38		/
0 445 120 380	YUCHAI MACHINERY	J2000-1112100-A38	OR PART	/
0 445 120 410	YUCHAI MACHINERY	E4700-1112100-A38		_/
	WEICHAI POWER			/
0 445 120 459	CO.LTD.	13074417		
0 445 120 468		TOR PART / INJEC	TOR PART	/
0 445 120 530	IJECTOR PART	/	/	/
0 445 120 533				/

2) F00RJ01692 Injector Valve Set Applicable Injector Information

Injector Series	Injector Part Number	System Pressure	Re-manufactured Part Number	System Pressure	Universal Number	System Pressure	Universal Number	System Pressure
CRIN2-16	0 445 120 081	1600	/	/	/	/	/	/_
CRIN2-16	0 445 120 107	1600	/	4 7	/	OR PAR	/ _{IIVI}	GI/RE
CRIN2-16	0 445 120 129	1600	/	/	1	/	/	7/=
CRIN2-16	0 445 120 130	AUECTOR!	ART / INJ		0 445 120 222	1600	, INJ	ECTOR
CRIN2-16	0 445 120 149	/- N	0 986 AD1 007	ECTOR P	0 445 120 213	1600	at / IN	JEC701
CRIN2-16	0 445 120 150	MA STOL	PART IN	A P	0 445 120 244	1600		JE/IC



			www.mjec	torpart	1			
CRIN2-16	0 445 120 153	1600	/	/	///	RT /	INJECTOR	A/
CRIN2-16	0 445 120 163	1600	0 986 AD1 039	1600	0 445 120 226	1600	0 445 120 433	1600
CRIN2-16	0 445 120 169	PART	0 986 AD1 009	PARI	0 445 120 214	1600	1	/
CRIN2-16	0 445 120 170	OR PART	0 986 AD1 010	1600	0 445 120 224	1600	1	/
CRIN2-16	0 445 120 191	1600	/ JECTO	RP//I	INJECTOR	PART	INDECT	/
CRIN2-16	0 445 120 200	1600	/ //	/	1	/	/	/
CRIN2-16- BL	0 445 120 213	1600	0 986 AD1 007	1600	INJECTO	RPART	INJEC /	/
CRIN2-16- BL	0 445 120 214	1600	0 986 AD1 009	1600	/	/	/	/
CRIN2-16- BL	0 445 120 222	1600	T /INJEC	OR /ART	TyJECTO	RPART	INUIEC /	TORP
CRIN2-16- BL	0 445 120 224	1600	0 986 AD1 010	1600	/	/	/	4 /
CRIN2-16- BL	0 445 120 226	1600	0 986 AD1 039	1600	0 445 120 433	1600	/	ZYORU Z
CRIN2-16- BL	0 445 120 227	1600	/ /	TO A PAR	/NUEC	OR / AR	, INJ	ectops
CRIN2-16- BL	0 445 120 228	1600	/	/	/	/	/	
CRIN2-16- BL	0 445 120 244	1600	/ /	CIORPA	T / INJEC		T / TN3	ÉCTP
CRIN2-16- BL	0 445 120 260	1600	/		/	1	/	1
CRIN2-16- BL	0 445 120 324	1600	/	/	RI / IMUE		a , TM	JEC7
CRIN2-16- BL	0 445 120 331	1600	/	7/3	/	/_/	/	//
CRIN2-16- BL	0 445 120 343	1600	/		ART / INJ		RT /	JEG
CRIN2-16- BL	0 445 120 344	1600	/	/	/	//	/	



CRIN2-16- BL	0 445 120 357	1600	MUZETOR	AR /	0 445 120 446	1600	INJECTOR	PART /
CRIN2-16- BL	0 445 120 379	1600	INJECTOR	PAR.	0 445 120 429	1600	muyeror	PART
CRIN2-16- BL	0 445 120 380	1600	INJECTO	PART	0 445 120 427	1600	IN /ECTO	RP/RU
CRIN2-16- BL	0 445 120 410	1600	INJECTO	R PART	0 445 120 436	PARI	MUEGN	
CRIN2-16- BL	0 445 120 459	1600	1	/	/	/	1	/
CRIN2;CR/I PL24/ZERES 20S	0 445 120 468	CTO / PAR	/ UECT	DR P/RT	INJECTO	RPART	INJECT	OR PAR
CRIN2- 16BL;CR/IP L24/ZERES2 OS	0 445 120 530	Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z Z	INJEC	OR ART	/JEGTO	R P/RT	AMIEC	TOR, PAR
CRIN2- 16BL;CR/IP L24/ZERES2 OS	0 445 120 533	A A A A A A A A A A A A A A A A A A A	/ IMJEC		/ MEC	or /AR	/INUE	

3) F00RJ01692 Injector Valve Set Part Number Common Writing

F00RJ01692, F00RJ01692, F 00R J01 692, F 00R J01 692, F00R J01 692, F00R J01 692, F00R J01 692, F00R J01692, F 00R J01692, F 00R J01692, F 00R J01692, F00R J01692

1.3. F00RJ01692 Injector Valve Set Specifications and Dimensions Parameters

Injector Valve Set Size: 13 cm*2 cm *2 cm
Injector Valve Set Box Size: 14 cm *3 cm *3 cm
Injector Valve Set Packing Size: 31 cm *12 cm

Injector Valve Set Net Weight: 0.03kg
Injector Valve Set Gross Weight: 0.03kg
Injector Valve Set Quality: China Made New

Injector Valve Set MOQ: 4PC

1.4. F00RJ01692 Injector Valve Set Quality Control

1) Injector Valve Set Testing

All parts of the injector valve set have undergone precision testing, high temperature testing, low temperature testing, withstand pressure testing, leakage testing, durability testing, and various working conditions testing.



2) Injector Valve Set Inspection

The factory inspection of the injector valve set is undergone three inspections: full inspection, random inspection, and batch inspection. Different brands of test benches are used to test the same injector valve set for more than three times for factory inspection, and the injector valve set's installation and testing environment are progressed in dust-free workshop.

3) Injector Valve Set Installation

When matching the valve cap and valve steam, we strictly complies with the standard of valve cap and valve stem clearance technical indicators to ensure that each injector valve set meets the factory standards and use standards.

1.5. F00RJ01692 Injector Valve Set Customized Service

1) Injector Valve Set Customized Service Coverage: Meet the customized needs of OEM manufacturers for valve color and lustre, valve cap groove customization, valve cap lettering, valve cap logo engraving, valve cap QR code engraving, injector valve set internal packaging, injector valve set external packaging and label customization needs.

No.	1	2	
Image	DR PART	INJECTO	
Name	Valve Cap Color And Lustre	Valve Cap Color And Lustre	
Description	Customized 1000 pieces (white color is optional)	Customized 1000 pieces (purple red color is optional)	
No.	3	4	
Image	OR PART	INJE INJECT	
Name	Valve Cap Groove Customization	Valve Cap Lettering, Logo Engraving, QR Code Engraving Customization	
No.	5	6	
Image	RECTOR	INJ INJEC	
Name	Valve Set Box	Valve Set Box	
Description	Rectangle is optional	Cylindrical is optional	
No.	7	8	



R	Image	IBA YOU YOU YOU	SHUMATT FOOVC01379 Common rail valve Application: 0445110054 (045110424 F20000B2BC01379 Total Application of the common rail valve Application: 0445110054 (045110424 Total Application: 0445110054 Total Application: 0445110054
ı	Name	Valve Set Bag	Valve Set Label 7cm*5cm

2) Injector Valve Set Customized Service Requirements:

The purchase quantity of customized injector valve set package is not less than 100 pieces.

The purchase quantity of customized injector valve set groove is not less than 100 pieces.

The purchase quantity of customized injector valve set is not less than 1000 pieces.

The purchase quantity of customized CRDI injector valve cap engraving is not less than 1000 pieces.

The purchase quantity of customized CRDI injector valve color is not less than between 1000 -10000 pieces.


⚠ When the customized products involve the need of specify logo, the OEM manufacturer is asked to provide trademark authorization and the sample of logo image file.

• Once the customized injector valve set is sold, it can not be returned or exchanged if there is no quality problems.

1.6. F00RJ01692 Injector Valve Set Spare Parts & Packing List

No.	1	2
Image	Shumaft Shumaft TOR PART Shumaft TOR PART	MJE TORP
Name	Injector Valve Set	Injector Valve Set Anti-rust Paper
Description	Injector valve set part number F00RJ01692	Prevent the injector valve set from rusting
No.	3	4
Image	LECTOF ART	INJECTOR
Name	Injector Valve Set Box (Rectangle)	Injector Valve Set Box (Cylindrical)
Description	Protect the injector valve set from being damaged by colliding	Protect the injector valve set from being damaged by colliding
No.	5	6
Image	VCI.	INJECTOR PYRT INJECTO
Name	VCI Anti-rust Bag	
Description	Prevent the injector valve set from rusting	INJECTOR PART





⚠ The valve set box is recyclable and can be reused.

▲ VCI anti-rust bag is non-degradable material, please dispose of it properly after use.

ART AR

NJECTOR PART

A TI

INJECTOR PART

INJECTOR PART

INJECTOR PART

NJECTOR PART

ART

ATT

IN JECTOR PART

/AT

INJECTOR PART

A PART

INJECTOR PART

INJECTOR PART

ART

NJECTOR PART

A PART

INJECTOR PART

INJECTOR PART

A LINUTE TOR PART

NJECTOR PART

INJECTOR PART

INJECTOR PART

INJECTOR PART

ART NUMBER PART

IJECTOR PART

INJECTOR PART

INJECTOR PART

INJECTOR PART

A TIME LECTOR PART

NJECTOR PART

INJECTOR PART

INJECTOR PART

AET.

IN JECTOR PART

INJECTOR PART

INJECTOR PART

ART

INJECTOR PART



1.7. F00RJ01692 Injector Valve Set Warranty Instructions

1) Injector valve set's Warranty Conditions and Instructions

- ① It is necessary to provide pictures, videos, or test reports detected by the injector valve set inspection equipment when the injector valve set is abnormal during use as evidence to feed back to the salesman.
- ② Abnormal conditions are properly explained such as: 1.Smoke, 2. Engine shake, 3. Difficulty starting the engine, 4. Engine noise, 5. oil leakage etc.

2) injector valve set Warranty Coverage

- ① After receiving the injector valve set F00RJ01692 within 15 days, if there is a performance failure and the product has no appearance damage, you can choose to replace it or repair it;
- ② If the injector valve set F00RJ01692 has performance problems during the warranty period (6-12 months), and it is confirmed to be product's problems after being tested, you can contact our salesmen to replace the same model or a reworked product with the same performance for free;
- ③ If the injector valve set has obvious scratches on the surface, it can only be repaired and it will be returned as it is if the product is confirmed to be fault-free.

3) injector valve set Out of Warranty Coverage

- 1 The injector valve set's warranty period has expired.
- 2 Injector valve set failure caused by high temperature, high pressure, humidity, rain and snow, saline-alkali land, earthquake, and used in abnormal environment.
- ③ Injector valve set damage caused by man-made reasons (throwing, strong magnetic field magnetization, set fire).
- 4 Injector valve set failure or injector damage caused by non-injector design, technology, manufacturing, quality and other issues.
 - ⑤ Injector valve set failure due to system pressure exceeding system approved pressure.
 - ⑥ Injector valve set failure caused by system voltage exceeding approved voltage.
- ① Injector valve set failure caused by impurities (water, lead, aluminum powder, iron powder, sulfide) in the system fuel exceeding the standard requirements.
- Injector valve set failure caused by not installing according to the tightening torque specified in the vehicle engine maintenance manual (the tightening torque is too large or too small).
- Injector valve set failure caused by not following the installation angle specified in the injector maintenance manual.
- Injector valve set failure caused by not following the cleaning requirements specified in the injector maintenance maintenance manual.
- 11 Injector valve set failure caused by failure to replace consumable parts as specified in the injector maintenance manual.


Website: www.injectorpart.com@ 2022 Shenzhen Shumatt Technology Co., Ltd



2. F00RJ01692 Injector Valve Set Technical Support


2.1. F00RJ01692 Injector Valve Set Installation Precautions

- 1) Clean the injector valve set in an ultrasonic cleaner for 3-5 minutes before installation, so as to make the stains, dust, rust-proof oil oxides, paraffin base, naphthenic base, intermediate base, salt, lead naphthenate, zinc naphthenate, sodium petroleum sulfonate, barium petroleum sulfonate, calcium petroleum sulfonate, tallow diamine trioleate, rosinamine on the surface of the injector valve set fall off.
- 2) Use compressed air to clean the cleaning fluid attached to the surface of the injector valve set after cleaning, and clean it up to the standard of use.
- 3) When installing the steel ball and ball seat, pay attention to the steel ball should close tightly to the oil return hole at the top of the valve cap, as shown below:



Pic No.1

① When installing the valve stem, make sure that the valve stem and the bonnet must ensure that the valve stem can move smoothly in it, as shown below:



Pic No.2

② When installing the injector valve set, the oil inlet position should be 180° between the oil inlet position of the injector body.

A If the injector steel ball and the ball seat are not installed in accordance with the standard, it may cause serious damage to the injector valve set.

Website: www.injectorpart.com

2.2. F00RJ01692 Injector Valve Set Replacement Conditions

Under the microscope, magnify 20 times to check that the oil inlet hole of the valve cap and the oil return hole of the bonnet are not worn, grooved, scratched, damaged, rusted or dented.

No.	1	2	3
Image		TE COR PART INJECTIO	
Description	Injector valve set oil inlet hole location	Injector valve set oil return hole location	The oil inlet and oil return holes of the injector valve set are free of wear, grooves, scratches, damage, rust, dents, which do not need to be replaced
No.	4	5	6
Image			A STATE OF THE PARTY OF THE PAR
Description	The injector valve set oil hole is recessed and needs to be replaced	The injector valve set oil hole is worn and needs to be replaced	The injector valve set oil hole is punched and needs to be replaced

The wear of the top oil return hole causes the oil return to be too large and the leaking injector cannot inject oil.

The oil inlet hole on the side is blocked, causing the injector to fail to establish the pressure chamber and the injector cannot work normally

Wear of the oil chamber of the valve cap will cause fuel injector failure. In severe cases, the fuel injector will not work properly.

Magnify 20 times under a microscope to check whether the valve stem is worn, the surface is not smooth, discolored, or rusty.

No.	1	2	3
Image			
Description	The valve stem is worn out and needs to be replaced	The valve stem surface is not smooth and colorless, and it needs to be replaced	The valve stem is rusty and needs to be replaced

⚠ The excessive clearance between the valve stem wear, housing and the valve cap will causes injector lag. ⚠ The valve stem lag will cause the injector to start the solenoid to start, and the oil needle can not

Website: www.injectorpart.com



return quickly after the nozzle is opened.

Check the injector components before replacing the injector valve set according following the injector service manual to avoid further damage to the injector valve set after replacement.

2.3. F00RJ01692 Injector Valve Set Storage Standard

(1) Choose a Suitable Storage Place

The warehouse and cargo yard where the injector valve set is stored should be kept clean and dry, and away from the factory buildings that generate harmful gases and dust; do not mix with acid, alkali, salt and other substances; the storage place should have a good drainage system; the cargo yard should be flattened with gravel or furnace ash etc. to enhance the water permeability of the surface layer to keep the reservoir area dry.

(2) Strict Requirements of Warehousing

Strict inspections should be carried out when the injector valve sets are put into storage, the surface cleaning work should be done well to remove water traces, oil stains, ash and other dirt, remove the rust and do anti-rust treatment in time. Packaged injector valve set must be protected from damage.

(3) Keep The Warehouse Dry And Preventing Moisture

The relative humidity is usually below 70% for the injector valve set placed in the room, and the corrosion of the injector valve set is significantly reduced.

Injector valve set must be stored in the warehouse, and they are forbidden to store in the same warehouse with commodities with high water content.

(4) Stack Properly

After the injector valve set is exposed to rain, the corrosion rate will increase significantly. The purpose of sealing is to isolate the injector valve set from rainwater and humid air, so the warehouse window should be checked in time to avoid rainwater entering the warehouse.

If the injector valve set package is damaged, it should be repaired or replaced; when the package is damp, the packaging material should be dried; if the original anti-corrosion and oil applied at the factory is found to be damaged or dried up, it should be cleaned and re-applied oil in time.

A It is forbidden to leave the injector valve set exposed in the air for a long time.

A It is forbidden to store acid, alkali, salt and other substances together with the injector valve set.

The unpacked injector valve set must be rust-proof during secondary storage.

2.4. F00RJ01692 Injector Valve Set Technical Support Obtaining Methods

- (1) Injector Valve Set Technical Data: https://www.injectorpart.com/download/
- (2) Injector Valve Set Videos: https://www.injectorpart.com/videos/
- (3) Injector Valve Set Encyclopedia: https://www.injectorpart.com/category/news/encyclopedia/

3. F00RJ01692 Injector Valve Set Purchase and Delivery.

3.1. F00RJ01692 Injector Valve Set Purchase Payment Terms

Payment Terms: T/T, PayPal, Alipay, WeChat

A Please contact our salesmen for specific payment information.

3.2. F00RJ01692 Injector Valve Set Main Sales Market.

Injector Valve Set main sales markets: Asia, Europe, North America, South America, Africa etc.

3.3. F00RJ01692 Injector Valve Set Declaration Requirements

We can assist customers to provide the following documents for import customs clearance: contract, invoice, packing list, bill of lading, insurance policy, certificate of origin, etc.

3.4. F00RJ01692 Injector Valve Set Shipping Ways

Website: www.injectorpart.com

Destination in China areas: SF Express, Debon Express, the corresponding logistics company can be provided according to customer requirements in special cases.

13



Destinations out of China's areas: DHL, UPS, FedEx, TNT air, ocean or other shipping methods required by

3.5. F00RJ01692 Injector Valve Set Lead Time

Lead time: Send out within 3 - 7 working days after receiving payment(Except for special pstemucts and special cases).

3.6. F00RJ01692 Injector Valve Set Logistics Time for Destination Out of China's Areas **DHL Logistics Time:**

Country or Region of Other Countries or **Australia and New** Hong Europe America **Other Countries** Kong, China Departure **Regions of Asia** Zealand 8-7-10 Days China's Mainland 8 Days 7 Days 7 Days 8 Days 12 Days

Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival Time	Country of Destination	Estimated Arrival
Japan	3 Days	UK	5-7 Days	Egypt	5-7 Days
Turkey	5-7 Days	Singapore	3 Days	Switzerland	5-7 Days
Bahrain	5-7 Days	Latvia	7-10 Days	New Zealand	7-10 Days
Sri Lanka	5-7 Days	Thailand	3 Days	Austria	5-7 Days
Romania	5-7 Days	Vietnam	3-5 Days	Estonia	5-7 Days
Malaysia	3-5 Days	Israel	5-7 Days	Mexico	7-10 Days
France	5-7 Days	America	5-7 Days	United Arab Emirates	5-7 Days
Italy	5-7 Days	Netherlands	5-7 Days	Bengal	7-10 Days
Lebanon	5-7 Days	Philippine	3-5 Days	Greece	7-10 Days
South Korea	3 Days	Spain	5-7 Days	Myanmar	5-7 Days
Canada	5-7 Days	Germany	5-7 Days	Saudi Arabia	7-10 Days
Portugal	5-7 Days	Australia	5-7 Days	South Africa	7-10 Days
Denmark	5-7 Days	Belgium	5-7 Days	Ukraine	7-10 Days
India	7-10 Days	Qatar	7-10 Days	Poland	5-7 Days
Indonesia	3-5 Days	Morocco	7-10 Days	Pakistan	7-10 Days
Kuwait	7-10 Days	1		ECTOR ART	INJECT/ R PAI

The logistics time is for reference only and is subjected to the actual arrival.

3.7. F00RJ01692 Injector Valve Set Packing

Website: www.injectorpart.com

Domestic Express Packaging: Usually wrapped in waterproof scotch tape, such as picture No.1.

International Express Packaging: Wrapped with waterproof yellow tape After wrapping the black protective film, such as picture No. 2.

Pallet Shipping: Use fumigation free and recycling trays that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties for the outside, such as picture No. 3, Also, the products can be packaged according to customers' requirements.

The packing tray is made of plastic and can be recycled.



Transparent tape, yellow tape, black wrapping protective film, white wrapping protective film are non-degradable materials, please dispose of them properly.

A Minors are prohibited from using transparent tape, yellow tape, black wrapping protective film, and white wrapping protective film to avoid personal injury.

No.	1	2	3
Image	INJECTOR PARI INJ		
Name	Domestic Express Packaging	International Express Packaging	Pallet Shipping
Description	Wrapped by transparent tape	Wrapped with yellow tape after wrapping black protective film	Use pallet that meet export requirements, and use white wrapping protective film to wrap and bind with cable ties

4. Company Information



4.1. Company Introduction

Mob Phone/WeChat: +86-13410541523

HK Telephone: +852-67653519 **Telephone:** +86-755-23215133

Shenzhen Office: 11-12, Floor 14, Building 13, Qinchengda Building, Exit A, Honglang North Subway Station, Bao'an District, Shenzhen, China's Mainland

Shenzhen Office: Exit C, Qiao Touxi Metro Station, NO. 66 Chongqing Road, Fuhai Avenue, Bao'an District, Shenzhen, China Mainland

Hong Kong Office: Jianfa Street Industrial Zone, Tuen Mun, New Territories, Hong Kong, China



After-sales Service Address: Please contact our salesmen to obtain and provide the corresponding product maintenance reasons (Reference: 1.7. F00RJ01692 Injector Valve Set Warranty Instructions)

4.2. Contact Information

Name	WeChat/ WhatsApp
Ruby	+86-13410541523

5. Copyright Statement

All content on www.injectorpart.com is sourced from and belongs to Shenzhen Shumatt Technology Co., Ltd. www.injectorpart.com has been authorized to use this content. Shenzhen Shumatt Technology Co., Ltd. holds all rights to the "F00RJ01692 Injector Valve Set Technical Instruction." Any reproduction, distribution, or public display of this material must clearly acknowledge Shenzhen Shumatt Technology Co., Ltd. as the source. Unauthorized use or failure to comply with these conditions will constitute a violation of the "Copyright Law of the People's Republic of China" and other relevant international laws and regulations.

Website: www.injectorpart.com © 2025 www.injectorpart.com